L Number	Hits	Search Text	DB	Time stamp
-	3114	(711/103, 111, 112, 152, 153, 154, 163, 164, 173).	CUSPACTIS.	2002/03/13 15:07
		,,, ., .,,,,,,,	US-PGPUB;	
			EPO; JPO;	
			IBM TDB	
-	84	((711/103,111,112,152,153,154,163,164,173).		2002/03/12 19:13
		AND (access\$3 NEAR3 control\$5).TI.	US-PGPUB;	
			EPO; JPO;	
			IBM TDB	
_	234	((711/103,111,112,152,153,154,163,164,173).		2002/03/12 19:13
		AND (access\$3 NEAR3 control\$5).AB.	US-PGPUB;	
			EPO; JPO;	
			IBM TDB	
_	193	((711/103,111,112,152,153,154,163,164,173).		2002/03/12 19:14
		AND (protect\$3 OR safe OR reserv\$3).TI.	US-PGPUB;	
			EPO; JPO;	
			IBM TDB	
_	280	((711/103,111,112,152,153,154,163,164,173).		2002/03/12 19:14
	200	AND (protect\$3 OR safe OR reserv\$3).AB.	US-PGPUB;	2002/03/12 13.14
		This (proceeds on sure on reserves, ins.	EPO; JPO;	
			IBM TDB	
_	38	((711/103,111,112,152,153,154,163,164,173).		2002/03/12 19:15
		AND (authenticat\$3 OR password).AB.	US-PGPUB;	2002/03/12 13:13
		into (auditorioredaty) on password, ab.	EPO; JPO;	
			IBM TDB	
1_	1	(((711/103,111,112,152,153,154,163,164,173)	OSESTICLS.)	2002/03/12 20:52
		AND (access\$3 NEAR3 control\$5).TI.) AND	US-PGPUB;	2002/03/12 20:32
		(((711/103,111,112,152,153,154,163,164,173)	EEDS, DEDS.)	
		AND (protect\$3 OR safe OR reserv\$3).TI.)	IBM TDB	
_	0		OSEATICLS.)	2002/03/12 20:52
_	1	AND (access\$3 NEAR3 control\$5).AB.) AND	US-PGPUB;	2002/03/12 20:32
		(((711/103,111,112,152,153,154,163,164,173)	EEDS, DEDS.)	
		AND (protect\$3 OR safe OR reserv\$3).TI.)	IBM TDB	
		AND (protectes or sale or reserves).11.7	1014-100	
,		(((711/103,111,112,152,153,154,163,164,173)	CCLS, ICLS.)	
l _	28	AND7IavitBaniicat\$2,082pa53wa5a)1AB,164,173)	OSBATICLS.)	2002/03/12 21:12
	20	AND (access\$3 NEAR3 control\$5).AB.) AND	US-PGPUB;	2002/03/12 21:12
		(((711/103,111,112,152,153,154,163,164,173)		
		AND (protect\$3 OR safe OR reserv\$3).TI.)	IBM TDB	
_	1961	(711/152,153,154,163,164,173).CCLS,ICLS.	USPAT;	2002/03/12 20:54
	1501	(7117132,133,134,103,104,173,.0013,1013.	US-PGPUB;	2002/03/12 20:34
			EPO; JPO;	
			IBM TDB	
_	4	(((711/103,111,112,152,153,154,163,164,173)	OSBATICLS.)	2002/03/12 21:12
]	AND (access\$3 NEAR3 control\$5).AB.) AND	US-PGPUB;	2002/03/12 21:12
1	1	(((711/103,111,112,152,153,154,163,164,173)	EEEDS, DEEDS.)	
	1	AND (protect\$3 OR safe OR reserv\$3).TI.)	IBM TDB	
		AND (non-volatile OR nonvolatile OR ("not"	-2:100	
		ADJ1 "volatile"))		
_	3	5974500.URPN.	USPAT	2002/03/12 21:14
_	9		USPAT	2002/03/12 21:14
		"5293424" "5297148" "5438546"		
	ļ	"5513136" "5592641" "5974500").PN.		
_	30		USPAT	2002/03/12 21:30
		"4811293" "4811294" "4931997"		
		"4961172" "5014191" "5034922"		
		"5046046" "5065364" "5175840"		
		"5197034" "5216633" "5222046"		
		"5224070" "5233559" "5239505"		
		"524572" "5249158" "5278786"		
		"5280449" "5287310" "5293344"		
		"5293610" "5325499" "5327380"		
		"5327383" "5333300" "5369647").PN.		
-	17		USPAT	2002/03/12 21:30
<u> </u>	L	00202001011111	001111	2002/03/12 21.30

(A.P. -5/17/02)

-	0	((("4228528" "4358833" "4538245"	USPAT	2002/03/12 21:32
		"4811293" "4811294" "4931997"		
	-	"4961172" "5014191" "5034922"		
		"5046046" "5065364" "5175840"		
		"5197034" "5216633" "5222046"		
		"5224070" "5233559" "5239505"		
ł		"5245572" "5249158" "5278786"		
		"5280449" "5287310" "5293344"		
		"5293610" "5325499" "5327380"		
		"5327383" "53333300" "5369647").PN.) OR		
		5513136.URPN.) AND (authenticat\$3 OR		
		password).AB. AND (protect\$4 OR safe OR		
		reserv\$3).AB. AND (read\$3 AND writ\$3 AND	!	
	1.0	eras\$3)	LIGDIM.	2000/02/10 01 06
-	10	((("4228528" "4358833" "4538245"	USPAT	2002/03/12 21:36
		"4811293" "4811294" "4931997" "4061173" "5014101" "5034033"		
		"4961172" "5014191" "5034922" "5046046" "5065364" "5175840"	•	
1				
		"5197034" "5216633" "5222046" "5224070" "5233559" "5239505"		
		"524070" "5233559" "5239505" "5245572" "5249158" "5278786"		
		1		
		"5280449" "5287310" "5293344" "5293610" "5325499" "5327380"		
		"5327383" "5333300" "5369647").PN.) OR		
		5513136.URPN.) AND (protect\$4 OR safe OR		
		reserv\$3).AB.		
_	1	reservas,.ab. 5845332.PN.	USPAT	2002/03/12 21:35
_		3645332.PN. ((("4228528" "4358833" "4538245"	USPAT	2002/03/12 21:35
-	· ·	"4811293" "4811294" "4931997"	USPAI	2002/03/12 21:3/
		"4961172" "5014191" "5034922"		
		"5046046" "5065364" "5175840"		ĺ
	į	"5197034" "5216633" "5222046"		
		"5224070" "5233559" "5239505"		·
		"5245572" "5249158" "5278786"		
		"5280449" "5287310" "5293344"		
		"5293610" "5325499" "5327380"		
		"5327383" "5333300" "5369647").PN.) OR		
		5513136.URPN.) AND (authenticat\$3 OR		
-		password).AB.		
-	1	((("4228528" "4358833" "4538245"	USPAT	2002/03/12 21:37
		"4811293" "4811294" "4931997"		
		"4961172" "5014191" "5034922"		
		"5046046" "5065364" "5175840"		
		"5197034" "5216633" "5222046"		
	l	"5224070" "5233559" "5239505"		
		"5245572" "5249158" "5278786"		
1		"5280449" "5287310" "5293344"		
		"5293610" "5325499" "5327380"		
		"5327383" "5333300" "5369647").PN.) OR		
1		5513136.URPN.) AND (authenticat\$3 OR		
		password)		
-	1	1995-278212.NRAN.	DERWENT	2002/03/13 14:47
_	1	1994JP-0290397.AP,PRAI.	USPAT;	2002/03/13 13:20
			US-PGPUB;	
			JPO;	
			DERWENT	
-	1	1993JP-0299034.AP, PRAI.	USPAT;	2002/03/13 13:20
			US-PGPUB;	
			JPO;	
			DERWENT]
-	2	5974513.PN.	USPAT;	2002/03/13 14:47
			US-PGPUB;	
			EPO;	
1			DERWENT	
-	1	5974513.URPN.	USPAT	2002/03/13 14:48
-	4	("3971916" "4882474" "5436621"	USPAT	2002/03/13 14:48
1		"5519270").PN.	•	
-	3114	(711/103,111,112,152,153,154,163,164,173).C	Cuspatis.	2002/03/13 15:07
			US-PGPUB;	
1			EPO; JPO;	
L	L		IBM TDB	

-	45658	memory SAME ((protect\$4 OR safe OR	USPAT;	2002/03/13 15:14
		restrict\$3 OR forbid\$4 OR secure OR	US-PGPUB;	
		prohibit\$4 OR prevent\$3) WITH (access\$3 OR	EPO; JPO;	
ŀ		read\$3 OR writ\$3 OR stor\$3 OR eras\$3))	DERWENT;	
	007117		IBM_TDB	
_	287117	memory SAME (partition\$3 OR sector OR	USPAT;	2002/03/13 15:15
		pages OR blocks OR areas)	US-PGPUB;	
			EPO; JPO;	
i			DERWENT;	
	1000	//711/102 111 110 150 152 154 162 164 172	IBM_TDB	0000/00/10 15 15
-	1039	((711/103,111,112,152,153,154,163,164,173).	, , ,	2002/03/13 15:15
		AND (memory SAME ((protect\$4 OR safe OR	US-PGPUB;	
		restrict\$3 OR forbid\$4 OR secure OR	EPO; JPO;	
İ		prohibit\$4 OR prevent\$3) WITH (access\$3 OR	DERWENT;	
1_	659	read\$3 OR writ\$3 OR stor\$3 OR eras\$3))) (711/163,164).CCLS,ICLS.	IBM_TDB	2002/02/12 15:16
-	039	(/11/103,104).CCLS,1CLS.	USPAT;	2002/03/13 15:16
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	218	(711/163,164).CCLS,ICLS. AND ((protect\$4	IBM_TDB	2002/02/12 15:21
	210	OR safe OR restrict\$3 OR forbid\$4 OR	USPAT;	2002/03/13 15:31
		secure OR prohibit\$4 OR prevent\$3) WITH	US-PGPUB;	
		(access\$3 OR read\$3 OR writ\$3 OR stor\$3 OR	EPO; JPO;	
		eras\$3)).AB.	DERWENT;	
_	202		IBM_TDB USPAT;	2002/02/12 15:10
-	202	OR safe OR restrict\$3 OR forbid\$4 OR	· ·	2002/03/13 15:19
	ļ	secure OR prohibit\$4 OR prevent\$3) WITH	US-PGPUB;	
		(access\$3 OR read\$3 OR writ\$3 OR stor\$3 OR	EPO; JPO;	
	İ	eras\$3)).AB.) AND ((memory SAME	DERWENT;	
		((protect\$4 OR safe OR restrict\$3 OR	IBM_TDB	
		1	İ	
		forbid\$4 OR secure OR prohibit\$4 OR prevent\$3) WITH (access\$3 OR read\$3 OR		
		writ\$3 OR stor\$3 OR eras\$3))) OR (memory		
		SAME (partition\$3 OR sector OR pages OR blocks OR areas)))		
_	174	1	rienam.	2002/03/13 16:44
	1,4	OR safe OR restrict\$3 OR forbid\$4 OR	USPAT;	2002/03/13 16:44
			US-PGPUB;	
		secure OR prohibit\$4 OR prevent\$3) WITH (access\$3 OR read\$3 OR writ\$3 OR stor\$3 OR	EPO; JPO;	
		eras\$3)).AB.) AND ((memory SAME	DERWENT;	
1		((protect\$4 OR safe OR restrict\$3 OR	IBM_TDB	
		forbid\$4 OR secure OR prohibit\$4 OR		
		prevent\$3) WITH (access\$3 OR read\$3 OR		
		writ\$3 OR stor\$3 OR eras\$3))) AND (memory		
		SAME (partition\$3 OR sector OR pages OR		
1		blocks OR areas)))		
_	11	((711/163,164).CCLS,ICLS.) AND	USPAT;	2002/03/13 15:30
		((unprotect\$4 OR normal OR unrestrict\$3 OR	US-PGPUB;	2002/03/13 13.30
]	unsecure OR unprohibit\$4 OR ("not" ADJ1	EPO; JPO;	
		prevent\$3)) WITH (access\$3 OR read\$3 OR	DERWENT;	
		writ\$3 OR stor\$3 OR eras\$3)).AB.	IBM TDB	
-	4		USPAT;	2002/03/13 15:45
		OR safe OR restrict\$3 OR forbid\$4 OR	US-PGPUB;	2002/03/13 13.43
1		secure OR prohibit\$4 OR prevent\$3) WITH	EPO; JPO;	
		(access\$3 OR read\$3 OR writ\$3 OR stor\$3 OR	DERWENT;	
		eras\$3)).AB.) AND ((memory SAME	IBM TDB	
		((protect\$4 OR safe OR restrict\$3 OR	100	
1		forbid\$4 OR secure OR prohibit\$4 OR		
		prevent\$3) WITH (access\$3 OR read\$3 OR		
-		writ\$3 OR stor\$3 OR eras\$3))) AND (memory		
		SAME (partition\$3 OR sector OR pages OR		
		blocks OR areas)))) AND (711/173).CXR.		
-	18	((711/163,164).CCLS. AND (711/173).CXR.)	USPAT;	2002/03/13 15:46
		OR ((711/173).CCLS. AND	US-PGPUB;	2002/03/13 13:40
		(711/163,164).CXR.)	EPO; JPO;	
		(= = , = 00 / ± 0 1 / , 0 m)	DERWENT;	
			IBM TDB	
L			T DIA T DR	

		•		
-	1	((711/163,164).CCLS,ICLS. AND ((protect\$4 OR safe OR restrict\$3 OR forbid\$4 OR	USPAT; US-PGPUB;	2002/03/13 16:48
		secure OR prohibit\$4 OR prevent\$3) WITH	EPO; JPO;	
		(access\$3 OR read\$3 OR writ\$3 OR stor\$3 OR	DERWENT;	
		eras\$3)).AB.) AND ((memory SAME	IBM TDB	
		((protect\$4 OR safe OR restrict\$3 OR	_	
		forbid\$4 OR secure OR prohibit\$4 OR		
		prevent\$3) WITH (access\$3 OR read\$3 OR		
		writ\$3 OR stor\$3 OR eras\$3))) AND (memory		
		SAME (partition\$3 OR sector OR pages OR		
		blocks OR areas))) AND (dynamic\$4 SAME		
	1	re\$1siz\$3)	richam.	2002/03/13 16.49
_	1	((711/163,164).CCLS,ICLS. AND ((protect\$4 OR safe OR restrict\$3 OR forbid\$4 OR	USPAT; US-PGPUB;	2002/03/13 16:48
	1	secure OR prohibit\$4 OR prevent\$3) WITH	EPO; JPO;	
		(access\$3 OR read\$3 OR writ\$3 OR stor\$3 OR	DERWENT;	
		eras\$3)).AB.) AND ((memory SAME	IBM TDB	
		((protect\$4 OR safe OR restrict\$3 OR	_	
		forbid\$4 OR secure OR prohibit\$4 OR		
		prevent\$3) WITH (access\$3 OR read\$3 OR		l i
		writ\$3 OR stor\$3 OR eras\$3))) OR (memory		
		SAME (partition\$3 OR sector OR pages OR		
		blocks OR areas))) AND (re\$1siz\$4)		
-	98		USPAT;	2002/03/13 16:49
		OR safe OR restrict\$3 OR forbid\$4 OR	US-PGPUB;	
		secure OR prohibit\$4 OR prevent\$3) WITH (access\$3 OR read\$3 OR writ\$3 OR stor\$3 OR	EPO; JPO; DERWENT;	
		eras\$3)).AB.) AND ((memory SAME	IBM TDB	
		((protect\$4 OR safe OR restrict\$3 OR	1511_155	
		forbid\$4 OR secure OR prohibit\$4 OR		
		prevent\$3) WITH (access\$3 OR read\$3 OR		
	1	writ\$3 OR stor\$3 OR eras\$3))) OR (memory		
		SAME (partition\$3 OR sector OR pages OR		
		blocks OR areas))) AND (size OR sizing)		
-	5	((711/163,164).CCLS,ICLS. AND ((protect\$4	USPAT;	2002/03/13 16:49
		OR safe OR restrict\$3 OR forbid\$4 OR	US-PGPUB;	
1		secure OR prohibit\$4 OR prevent\$3) WITH	EPO; JPO;	
		(access\$3 OR read\$3 OR writ\$3 OR stor\$3 OR	DERWENT;	70
	1	eras\$3)).AB.) AND ((memory SAME ((protect\$4 OR safe OR restrict\$3 OR	IBM_TDB	
		forbid\$4 OR secure OR prohibit\$4 OR		
		prevent\$3) WITH (access\$3 OR read\$3 OR		
		writ\$3 OR stor\$3 OR eras\$3))) OR (memory		
		SAME (partition\$3 OR sector OR pages OR		
		blocks OR areas))) AND (size OR		
		sizing).AB.		